

GNU Fortran Internals

For GCC version 16.0.0 (pre-release)

(GCC)

The gfortran team

Published by the Free Software Foundation
51 Franklin Street, Fifth Floor
Boston, MA 02110-1301, USA

Copyright © 2007-2025 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with the Invariant Sections being “Funding Free Software”, the Front-Cover Texts being (a) (see below), and with the Back-Cover Texts being (b) (see below). A copy of the license is included in the section entitled “GNU Free Documentation License”.

(a) The FSF’s Front-Cover Text is:

A GNU Manual

(b) The FSF’s Back-Cover Text is:

You have freedom to copy and modify this GNU Manual, like GNU software. Copies published by the Free Software Foundation raise funds for GNU development.

Short Contents

1	Introduction.....	1
2	Code that Interacts with the User	3
3	Frontend Data Structures	5
4	Internals of Fortran 2003 OOP Features	11
5	Generating the intermediate language for later stages.....	13
6	The LibGFortran Runtime Library	15
	GNU Free Documentation License.....	17
	Index	25

Index.....	25
-------------------	-----------

1 Introduction

This manual documents the internals of **gfortran**, the GNU Fortran compiler.

Warning: This document, and the compiler it describes, are still under development. While efforts are made to keep it up-to-date, it might not accurately reflect the status of the most recent GNU Fortran compiler.

At present, this manual is very much a work in progress, containing miscellaneous notes about the internals of the compiler. It is hoped that at some point in the future it will become a reasonably complete guide; in the interim, GNU Fortran developers are strongly encouraged to contribute to it as a way of keeping notes while working on the compiler.

3.2.7 Constant Substring References

`EXPR_SUBSTRING` is a special type of expression that encodes a substring reference of a constant string, as in the following code snippet:

```
x = "abcde"(1:2)
```

In this case, `value.character` contains the full string's data as if it was a string constant, but the `ref` member is also set and points to a substring reference as described in the subsection above.

