

The GNU Go Compiler

For GCC version 16.0.0 (pre-release)

(GCC)

Ian Lance Taylor

Published by the Free Software Foundation
51 Franklin Street, Fifth Floor
Boston, MA 02110-1301, USA

Copyright © 2010-2025 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, the Front-Cover Texts being (a) (see below), and with the Back-Cover Texts being (b) (see below). A copy of the license is included in the section entitled “GNU Free Documentation License”.

(a) The FSF’s Front-Cover Text is:

A GNU Manual

(b) The FSF’s Back-Cover Text is:

You have freedom to copy and modify this GNU Manual, like GNU software. Copies published by the Free Software Foundation raise funds for GNU development.

Table of Contents

GNU General Public License	1
GNU Free Documentation License	12
ADDENDUM: How to use this License for your documents.....	19
1 Invoking gccgo	20
2 Import and Export	23
3 Compiler Directives	24
4 C Interoperability	25
4.1 C Type Interoperability	25
4.2 Function Names	26
Index	27

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```
Copyright (C)  year  your name.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts. A copy of the license is included in the section entitled ``GNU
Free Documentation License''.
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the “with...Texts.” line with this:

```
with the Invariant Sections being list their titles, with
the Front-Cover Texts being list, and with the Back-Cover Texts
being list.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

maps each file name to a full path to the file. This option is intended for use by the `go` command to implement `//go:embed`.

-fgo-importcfg=file

Identify a file that provides mappings for import package paths found in the Go source files. The file can contain two commands: `importpath` to rename import paths for vendoring and `packagefile` to map from package path to files containing export data. This option is intended for use by the `go` command.

-g

This is the standard `gcc` option (see Section “Debugging Options” in *Using the GNU Compiler Collection (GCC)*). It is mentioned here because by default `gccgo` turns on debugging information generation with the equivalent of the standard option `-g1`. This is because Go programs require debugging information to be available in order to get backtrace information. An explicit `-g0` may be used to disable the generation of debugging information, in which case certain standard library functions, such as `runtime.Callers`, will not operate correctly.

