

The GCC Quad-Precision Math Library

Published by the Free Software Foundation
51 Franklin Street, Fifth Floor
Boston, MA 02110-1301, USA

Copyright © 2010-2025 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, with the Front-Cover Texts being “A GNU Manual,” and with the Back-Cover Texts as in (a) below. A copy of the license is included in the section entitled “GNU Free Documentation License.”

(a) The FSF’s Back-Cover Text is: “You have the freedom to copy and modify this GNU manual.

Short Contents

1	Typedef and constants	1
2	Math Library Routines	3
3	I/O Library Routines	7
	GNU Free Documentation License	9
4	Reporting Bugs	17

Table of Contents

1	Typedef and constants	1
2	Math Library Routines	3
3	I/O Library Routines	7
3.1	strtoflt128 — Convert from string	7
3.2	quadmath_snprintf — Convert to string	7
	GNU Free Documentation License	9
	ADDENDUM: How to use this License for your documents	16
4	Reporting Bugs	17

`cexpiq`: computes the exponential function of “i” times a
real value

`clogq`: complex natural logarithm

`clog10q`: complex base 10 logarithm

`conjq`: complex conjugate function

`cpowq`: complex power function

`cprojq`: project into Riemann Sphere

`csinq`: complex sine function

`csinhq`: complex hyperbolic sine function

`csqrtq`: complex square root

`ctanq`: complex tangent function

`ctanhq`: complex hyperbolic tangent function


```

int width = 46;
char buf[128];

r = 2.0q;
r = sqrtq (r);
int n = quadmath_snprintf (buf, sizeof buf, "%+-.#*.20Qe", width, r);
if ((size_t) n < sizeof buf)
    printf ("%s\n", buf);
    /* Prints: +1.41421356237309504880e+00 */
quadmath_snprintf (buf, sizeof buf, "%Qa", r);
if ((size_t) n < sizeof buf)
    printf ("%s\n", buf);
    /* Prints: 0x1.6a09e667f3bcc908b2fb1366ea96p+0 */
n = quadmath_snprintf (NULL, 0, "%+-.#46.*Qe", prec, r);
if (n > -1)
{
    char *str = malloc (n + 1);
    if (str)
    {
        quadmath_snprintf (str, n + 1, "%+-.#46.*Qe", prec, r);
        printf ("%s\n", str);
        /* Prints: +1.41421356237309504880e+00 */
    }
    free (str);
}
return 0;
}

```


ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```
Copyright (C)  year  your name.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts. A copy of the license is included in the section entitled ``GNU
Free Documentation License''.
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the “with...Texts.” line with this:

```
with the Invariant Sections being list their titles, with
the Front-Cover Texts being list, and with the Back-Cover Texts
being list.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

4 Reporting Bugs

Bugs in the GCC Quad-Precision Math Library implementation should be reported via <https://gcc.gnu.org/bugs/>.