

The C Preprocessor

For GCC version 16.0.0 (pre-release)

(GCC)

Richard M. Stallman, Zachary Weinberg

Copyright © 1987-2025 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation. A copy of the license is included in the section entitled “GNU Free Documentation License”.

This manual contains no Invariant Sections. The Front-Cover Texts are (a) (see below), and the Back-Cover Texts are (b) (see below).

(a) The FSF’s Front-Cover Text is:

A GNU Manual

(b) The FSF’s Back-Cover Text is:

You have freedom to copy and modify this GNU Manual, like GNU software. Copies published by the Free Software Foundation raise funds for GNU development.

GNU Free Documentation License	72
ADDENDUM: How to use this License for your documents	79
Index of Directives	80
Option Index	80
Concept Index	82

__REGISTER_PREFIX__

This macro expands to a single token (not a string constant) which is the prefix applied to CPU register names in assembly language for this target. You can use it to write assembly that is usable in multiple environments. For example, in the **m68k-aout** environment it expands to nothing, but in the **m68k-coff** environment it expands to a single **'%'**.

__USER_LABEL_PREFIX__

This macro expands to a single token which is the prefix applied to user labels (symbols visible to C code) in assembly. For example, in the **m68k-aout** environment it expands to an **'_'**, but in the **m68k-coff** environment it expands to nothing.

This macro will have the correct definition even if **-f(no-)underscores** is in use, but it will not be correct if target-specific options that adjust this prefix are used (e.g. the OSF/rose **-mno-underscores** option).

__CHAR_BIT__

Defined to the number of bits used in the representation of the `char` data type. It exists to make the standard header given numerical limits work correctly. You should not use this macro directly; instead, include the appropriate headers.

